



Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN (A)	Longueur (mm)	Largeur (mm)	Hauteur hors tout (mm)	Polarité (+Droite +Gauche)	Talon (oui / non)	Notes
032023	12	32	270	233	131	167	D	0	
032708	12	32	270	187	136	220	D	1	
035558	12	35	320	187	128	220	G	0	
035559	12	35	320	187	128	220	D	0	
035560	12	35	320	187	128	220	D	1	
036736	12	36	300	208	175	175	D	1	
038025	12	38	240	242	127	200	G	1	
045562	12	45	350	234	127	220	D	0	
045563	12	45	350	234	128	220	G	0	
045726	12	45	350	220	135	220	D	1	
045727	12	45	350	220	135	220	D	1	
045737	12	45	400	175	175	190	D	0	
050545	12	50	420	208	175	175	D	1	
050565	12	50	390	206	172	204	D	1	
050566	12	50	390	206	172	204	G	1	
050758	12	50	420	205	175	190	D	1	
050760	12	50	420	205	175	190	G	1	
060546	12	60	540	242	175	175	D	1	
060568	12	60	450	230	172	220	D	1	
060569	12	60	450	230	172	220	G	1	
SMF56010	12	60	510	230	179	184	G	1	Américaine
060754	12	60	540	243	175	190	D	1	
060755	12	60	540	242	175	190	G	1	
SMF57010	12	65	540	260	185	182	G	1	Américaine
066754	12	66	640	242	175	190	D	1	
070055	12	70	480	487	109	217	D	0	
070148	12	70	600	260	175	225	D	0	
070149	12	70	600	260	175	225	G	0	
070484	12	70	640	278	175	175	D	1	
070775	12	70	640	278	175	190	G	1	
070776	12	70	640	278	175	190	D	1	
080778	12	80	720	278	175	190	D	1	
085590	12	85	800	315	175	190	G	1	
085591	12	85	800	315	175	190	D	1	
085592	12	85	800	315	175	175	D	1	
100143	12	100	700	304	173	220	G	1	
100144	12	100	700	304	173	220	D	1	

Batteries de démarrage - Gamme professionnelle



Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN (A)	Longueur (mm)	Largeur (mm)	Hauteur hors tout (mm)	Polarité (+Droite +Gauche)	Talon (oui / non)	Notes
100311	12	100	850	353	175	190	G	1	
100413	12	100	850	353	175	190	D	1	
100648	12	100	720	353	175	190	D	1	
100651	12	100	850	353	175	175	D	1	
SMF60010	12	100	880	308	185	186	G	1	Américaine
110186	12	110	780	404	173	226	G	0	
110187	12	110	780	404	173	226	D	0	
110188	12	110	1000	392	175	190	D	1	
PC31	12	120	1000	329	171	238	D	0	Bornes centrales
120064	12	120	900	344	172	233	D	0	
120065	12	120	900	344	172	233	G	1	
120068	12	120	750	514	175	210	G	1	
120164	12	120	900	344	172	233	D	1	
120215	12	120	750	513	189	220	G	0	
125074	12	125	850	345	175	285	G	0	
125075	12	125	850	345	175	285	D	0	
125098	12	125	800	286	269	226	-	0	Batterie OTAN
130076	12	130	1000	514	218	210	G	0	
135182	12	135	860	360	253	232	D	0	
135192	12	135	1000	514	175	210	G	1	
135223	12	135	1000	514	175	210	D	1	
140073	12	140	900	510	175	204	D	1	
140216	12	140	860	513	189	220	G	0	
140216SHD	12	140	900	513	189	220	G	0	Super Heavy Duty
155217	12	155	1000	513	189	220	G	0	
180196	12	180	1100	513	223	220	D	1	
180219	12	180	1100	513	223	220	G	1	
180220	12	180	1100	513	223	220	G	0	
180220SHD	12	180	1100	513	223	220	G	0	Super Heavy Duty
200220	12	200	1250	513	223	220	G	0	
210221	12	210	1200	514	272	240	G	0	
230212	12	230	1300	514	276	242	D	0	
230222	12	230	1300	514	272	240	G	0	
230222SHD	12	230	1300	514	272	240	G	0	Super Heavy Duty



Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN (A)	Longueur (mm)	Largeur (mm)	Hauteur hors tout (mm)	Polarité (+Droite +Gauche)	Talon (oui / non)	Notes
Start & Stop									
AGM1	12	50	530	208	175	190	D	1	AGM
AGM2	12	60	680	242	175	190	D	1	AGM
AGM3	12	70	760	278	175	190	D	1	AGM
AGM4	12	80	800	310	175	190	D	1	AGM
AGM5	12	90	850	353	175	190	D	1	AGM
AGM6	12	105	950	392	175	190	D	1	AGM
AGM70 JAP	12	75	680	260	172	220	D	1	AGM JAP
EFB2	12	62	580	241	175	190	D	1	EFB
EFB230	12	230	1250	514	276	242	G	0	EFB
EFB2B	12	60	560	241	175	190	D	1	EFB
EFB3	12	72	720	278	175	190	D	1	EFB
EFB3B	12	70	650	278	175	175	D	1	EFB
EFB4	12	82	800	313	175	190	D	1	EFB
EFB4B	12	80	730	313	175	175	D	1	EFB
EFB5	12	100	900	353	175	190	D	1	EFB
EFB5B	12	95	850	353	175	175	D	1	EFB
EFB70 JAP	12	70	670	257	172	220	D	1	EFB JAP
EFB100 JAP	12	95	760	322	175	215	D	1	EFB JAP
6V									
066002	6	66	360	186	175	188	-	0	
080005	6	80	600	158	165	213	-	0	
120125	6	100	520	231	176	222	-	0	
140108	6	140	720	257	171	235	-	1	
165016	6	165	900	328	171	233	-	0	
200017	6	200	1150	393	171	233	-	0	
Semi-traction / Marine									
31DC	12	110		330	172	238	G	0	
95501	12	60		242	175	190	D	1	
95551	12	72		260	172	223	G	1	
95601	12	80		278	175	190	D	1	
95751	12	100		353	175	190	D	1	
95803	12	100		304	173	220	G	0	
96051	12	140		513	189	223	G	0	
96351	12	180		513	223	223	G	0	
96801	12	230		518	274	242	G	0	



Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
080005	6	80	600 A		
120125	6	120	700 A		
140108	6	140	900 A		
165016	6	165	900 A		
200017	6	200	1150 A		
032023	12	32	270 A		
035558	12	35	320 A		
035559	12	35	320 A		



Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
035560	12	35	320 A		
036736	12	36	300 A		
045562	12	45	350 A		
045563	12	45	350 A		
045726	12	45	350 A		
045727	12	45	350 A		
045737	12	45	400 A		
050545	12	50	420 A		



Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
050565	12	50	390 A		
050566	12	50	390 A		
050758	12	50	420 A		
050760	12	50	420 A		
060546	12	60	540 A		
060568	12	60	450 A		
060569	12	60	450 A		
060754	12	60	540 A		











Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
060755	12	60	540 A		
SMF 56010	12	60	510 A		Américaine
066754	12	66	640 A		
070148	12	70	600 A		
070149	12	70	600 A		
070484	12	70	640 A		
070775	12	70	640 A		
070776	12	70	640 A		











Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
SMF 57010	12	70	540 A		Américaine
080778	12	80	720 A		
085590	12	85	800 A		
085591	12	85	800 A		
085592	12	85	800 A		
100143	12	100	700 A		
100144	12	100	700 A		
100311	12	100	850 A		











Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
100413	12	100	850 A		
100648	12	100	720 A		
100651	12	100	850 A		
SMF 60010	12	100	880 A		Américaine
110186	12	110	780 A		
110187	12	110	780 A		
110188	12	110	1000 A		
PC31	12	120	1000 A		Bornes centrale



Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
120064	12	120	900 A		
120065	12	120	900 A		
120164	12	120	900 A		
120215	12	120	750 A		
125074	12	125	850 A		
125075	12	125	850 A		
125098	12	125	800 A		Batterie OTAN
130076	12	130	1000 A		










Batteries de démarrage - Gamme professionnelle

Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
135182	12	135	860 A		
135192	12	135	1000 A		
135223	12	135	1000 A		
140073	12	140	900 A		
140216	12	140	860 A		
140216 SHD	12	140	900 A		Super Heavy Duty
155217	12	155	1000 A		
180196	12	180	1100 A		

Batteries de démarrage - Gamme professionnelle



Référence	Tension (V)	Capacité (Ah)	Intensité Démarrage EN	Schéma - Dimensions (mm)	Notes
180219	12	180	1100 A		
180220	12	180	1100 A		
180220 SHD	12	180	1100 A		Super Heavy Duty
200220	12	200	1250 A		
210221	12	210	1200 A		
230222	12	230	1300 A		
230222 SHD	12	230	1300 A		Super Heavy Duty



Gamme en stock - Nous consulter pour tous autres modèles : 03.27.74.10.47